



STATUS	CODE	SIZE	XL	PR	TYPE	PATTERN	TL/TT	LBS	INDEX	40HC
<b>TRUCK &amp; BUS TIRES - RADIAL</b>										
	55P687	255/70R22.5 (CUT & CHIP RES)	-	16PR	TBR	SC710	TL	89.57	140/137M	345
	55P680	255/70R22.5	-	16PR	TBR	SR750	TL	89.82	140/137M	345
	37P600	295/75R22.5	-	14PR	TBR	SR750	TL	107.86	144/141M	270
	37P604	295/75R22.5	-	14PR	TBR	DR820	TL	113.61	144/141M	270
	37P400	295/75R22.5	-	16PR	TBR	SR750	TL	107.86	146/143L	270
	37P404	295/75R22.5	-	16PR	TBR	DR820	TL	113.61	146/143L	270
	3TP650	11 R22.5	-	16PR	TBR	SR750	TL	107.49	146/143L	270
	3TP654	11 R22.5	-	16PR	TBR	DR820	TL	115.27	146/143L	270
	3TP657	11 R22.5 (CUT & CHIP RES)	-	16PR	TBR	SC710	TL	108.20	146/143L	270
	4FP660	11 R24.5	-	16PR	TBR	SR750	TL	114.94	149/146L	250
	4FP664	11 R24.5	-	16PR	TBR	DR820	TL	124.50	149/146L	250
	4FP667	11 R24.5 (CUT & CHIP RES)	-	16PR	TBR	SC710	TL	117.06	149/146L	250
<b>MPT - MILITARY TIRES</b>										
	47002	235/85 R16 C	-	-	MPT	EXPLERO PT451	TL	45.66	120Q	498
	47100	7.50 R16 C	-	-	MPT	EXPLERO PT461	TL	44.52	116/114N	650
	47200	37X12.50 R16.5 LT M/T	-	-	MPT	EXPLERO PT451	TL	82.79	127N	306
	47202	37X12.50 R16.5 LT M/T	-	-	MPT	EXPLERO PT451	TL	82.77	133N	306
	3600	13.00-18	-	8PR	MPT	PN30	TT	147.95	131F	188
	3602	13.00-18	-	8PR	MPT	PN30	TL	156.29	131F	188
	3605	13.00-18	-	10PR	MPT	PN30	TT	147.95	135G	188
	3650	12.5-20	-	12PR	MPT	PM50	TT	86.63	132F	239
	3655	12.5-20	-	12PR	MPT	PM50	TL	93.84	132F	239
	3700	14.00-20	-	18PR	MPT	PM40	TT	143.65	160/157F	170
	3710	14.00-20	-	20PR	MPT	PM40	TT	143.65	161/158F	170
	70554	14.00 R20	-	22PR	MPT	RM900 PLUS	TL	236.45	164/160G	130
	70558	14.00 R20	-	24PR	MPT	RM900 PLUS	TL	243.02	168/165K	130
	70590	16.00 R20	-	22PR	MPT	RM910	TL	306.17	173/170G	130
	70560	335/80 R20 (12.5 R20)	-	16PR	MPT	RM910	TL	154.06	149K	206
	70561	335/80 R20 (12.5 R20)	-	16PR	MPT	RM910	TL	154.06	146M	206
	70580	365/80 R20	-	18PR	MPT	RM910	TL	175.94	152K	172
	70581	365/80 R20	-	18PR	MPT	RM910	TL	175.94	154K	172
	70640	365/85 R20	-	22PR	MPT	RM910	TL	194.81	164J	172
	70650	395/85 R20	-	18PR	MPT	RM910	TL	232.22	168G	138
	70651	395/85 R20	-	18PR	MPT	RM910	TL	232.22	168K	138
<b>TRAILER &amp; IMPLEMENT TIRES - BIAS</b>										
	5680	9.5L-14SL	-	8PR	I-1	UN-7	TL	38.16	111B	570
	5684	9.5L-15SL	-	8PR	I-1	UN-7	TT	35.14	112B	550
	5685	9.5L-15SL	-	8PR	I-1	UN-7	TL	38.88	112B	550
	5686	9.5L-15SL	-	12PR	I-1	UN-7	TL	39.22	121B	550
	5690	11L-15SL	-	8PR	I-1	UN-7	TL	43.45	113B	490
	5692	11L-15SL	-	12PR	I-1	UN-7	TL	43.80	121B	490
	5702	12.5L-15SL	-	12PR	I-1	UN-7	TL	52.09	127B	465
	5732	10.0/75-15.3	-	12PR	R-1	TA-60	TT	42.77	114A6	529

5737	11.5/80-15.3	-	12PR	R-1	TA-60	TT	53.51	123A6	400	
5738	11.5/80-15.3	-	12PR	R-1	TA-60	TL	57.62	123A6	400	
5800	7.50-16	-	10PR	I-1	UN-1	TT	31.15	116A6	670	
5830	7.50-16	-	12PR	I-2	NB37	TT	41.65	121A6	670	
5833	7.50-16	-	12PR	I-2	PA30	TT	44.80	121A6	670	
5843	9.00-16	-	12PR	I-2	NT-3	TL	59.87	125A6	470	
5846	9.00-16	-	12PR	I-2	NT-3	TT	56.07	125A6	470	
5847	9.00-16	-	14PR	I-2	NT-3	TT	56.01	128A6	470	
5849	9.00-16	-	16PR	I-2	NT-3	TT	63.98	131A6	470	
5857	9.00-16	-	12PR	I-1	NT-30	TT	53.38	125A6	462	
5858	9.00-16	-	14PR	I-1	NT-30	TT	62.57	128A6	462	
5859	9.00-16	-	16PR	I-1	NT-30	TT	62.57	131A6	462	
5848	9.00-20	-	14PR	I-2	NB27	TT	69.90	133A6	313	
5855	8.25-20	-	14PR	I-2	PA20	TT	63.86	133A6	413	
5864	10.5/65-16	-	10PR	I-1	UN-1	TT	40.48	123A8	612	
5932	340/55-16	-	12PR	I-1	UN-1	TL	49.65	140A8	270	
5867	10.5/80-18	-	14PR	I-1	UN-1	TT	57.52	142A8	320	
5871	12.5/80-18	-	14PR	I-1	UN-1	TT	65.81	146A8	331	
5877	13.0/65-18	-	14PR	I-1	UN-1	TT	66.25	141A8	318	
5852	16.0/70-20	-	14PR	I-2	UN-9	TL	113.17	154A8/142A8	187	
5775	10.0/80-12	-	10PR	I-1	UN-5	TT	29.49	122A8	732	
5776	10.0/80-12	-	10PR	I-1	UN-5	TL	32.56	122A8	732	
5879	10.0/75-15.3	-	10PR	I-1	UN-1	TT	34.77	123A8	612	
5712	10.0/75-15.3	-	12PR	I-1	STB3	TL	40.10	126A8	612	
5761	10.0/75-15.3	-	14PR	I-1	UN-1	TL	44.61	130A8	612	
5885	10.0/75-15.3	XL	12PR	I-1	UN-3	TL	41.81	126A8	612	
5883	11.5/80-15.3	-	12PR	I-1	UN-1	TT	45.15	135A6	429	
5882	11.5/80-15.3	-	12PR	I-1	UN-1	TL	50.02	135A8	429	
5762	11.5/80-15.3	-	14PR	I-1	UN-1	TL	56.98	139A8	429	
5765	11.5/80-15.3	-	16PR	I-2	NT-3	TL	72.82	141A8	429	
5799	12.5/80-15.3	-	16PR	I-3	IMF-18	TL	74.91	144A8	374	
5889	12.5/80-15.3	-	12PR	I-1	UN-1	TL	52.69	139A8	362	
5892	12.5/80-15.3	-	16PR	I-1	UN-1	TL	70.44	144A8	362	
5891	260/70-15.3	-	12PR	I-1	UN-3	TL	41.44	126A8	480	
5895	400/60-15.5	-	14PR	I-1	UN-1	TL	74.61	145A8	302	
5898	400/60-15.5	-	16PR	I-1	UN-1	TL	85.42	147A8	302	
5934	15.0/55-17	-	14PR	I-1	UN-1	TL	66.89	137A8	271	
5938	19.0/45-17	-	12PR	I-1	UN-1	TL	86.39	141A8	214	
5854	400/70-20	-	14PR	I-2	UN-9	TL	113.17	154A8/142A8	182	
5948	500/50-17	-	14PR	I-1	UN-1	TL	97.17	149A8	214	
5952	500/50-17	-	16PR	I-1	UN-11	TL	101.95	152A8/139A8	214	
5954	500/50-17	-	18PR	I-1	UN-11	TL	114.58	157A8/145A8	214	
5860	10.0/75-15.3	XL	10PR	I-1	UN-1	TL	44.93	123A8	612	
5861	10.0/75-15.3	XL	12PR	I-1	UN-1	TL	45.36	126A8	612	
5862	11.5/80-15.3	XL	12PR	I-1	UN-1	TL	56.80	135A8	429	
5786	11.5/80-15.3	XL	12PR	I-1	UN-3	TL	52.19	137A8	429	
5792	12.5/80-15.3	XL	12PR	I-1	UN-3	TL	62.12	141A8	369	
5796	12.5/80-15.3	XL	12PR	I-3	IMF-18	TL	67.20	141A8	369	
5863	12.5/80-15.3	XL	12PR	I-1	UN-1	TL	60.59	139A8	362	
FARM IMPLEMENT TYRES - RADIAL - VF										

	79604	VF285/70 R19.5	-	16PR	I-1	HLT-45	TL	103.23	152D	288
	<b>IMPLEMENT FLOTATION TIRES - BIAS</b>									
	5955	400/60-15.5	-	14PR	I-3	IMF-18	TL	76.27	145A8	302
	5956	400/60-15.5	-	16PR	I-3	IMF-18	TL	86.28	153/149A6	302
	5957	400/60-15.5	-	18PR	I-3	IMF-18	TL	86.86	155/151A6	302
	3207	500/60-22.5	-	16PR	I-3	IMF-18	TL	174.30	163A8/159B	124
	3217	550/60-22.5	-	16PR	I-3	IMF-18	TL	191.70	167A8/163B	119
	3325	600/50-22.5	-	16PR	I-3	IMF-18	TL	199.10	165A8/161B	114
	<b>IMPLEMENT TRACTION TIRES - BIAS</b>									
	5962	400/60-15.5	-	18PR	I-3	IMT-18	TL	86.90	155/151A6	302
	3350	500/60-22.5	-	16PR	I-3	IMT-18	TL	174.38	163A8/159B	118
	3360	550/60-22.5	-	16PR	I-3	IMT-18	TL	191.79	167A8/163B	119
	3365	600/50-22.5	-	16PR	I-3	IMT-18	TL	195.50	165A8/161B	106
	<b>FORESTRY TIRES - BIAS</b>									
	3213	500/60-22.5	-	16PR	I-3	IMT-08	TL	174.38	159/147A8	126
	3215	550/60-22.5	-	16PR	I-3	IMT-08	TL	188.24	167/155A8	110
	3320	600/50-22.5	-	16PR	I-3	IMT-08	TL	189.09	156/144A8	114
	<b>FLOTATION RADIAL</b>									
	3370	560/60 R22.5	-	-	I-3	PT-FLOT	TL	249.66	165D	86
	3375	560/60 R22.5	-	-	I-3	PT-HAUL	TL	250.57	165D/162E	86
	<b>FARM FRONT TIRES (F2 &amp; R1) - BIAS</b>									
	5012	5.00-10	-	4PR	R-1	TA-60	TT	11.69	70/58A6	1902
	5016	6.5/80-12	-	6PR	R-1	TA-60	TT	14.82	80A6	1572
	5018	6.5/80-12	-	6PR	F-2	TA-50	TL	18.07	80A6	1572
	5028	6.5/80-13	-	6PR	F-2	TA-50	TT	17.58	94A6	1400
	5029	6.5/80-15	-	6PR	R-1	TA-60	TT	18.23	98A6	1027
	5021	7.00-12	-	6PR	R-1	TA-60	TT	24.36	83A6	1032
	5026	10.0/80-12	-	6PR	R-1	TA-60	TT	34.66	98A6	543
	5027	10.0/80-12	-	6PR	R-1	TA-60	TL	36.01	98A6	543
	5030	5.00-15	-	6PR	R-1	TA-60	TT	14.38	88A6	1420
	5041	5.00-12	-	4PR	R-1	TA-60	TT	13.47	62A6	1800
	5060	5.50-16	-	6PR	F-2	TD16	TT	21.06	86A6	999
	5100	6.00-16	-	6PR	F-2	TP8	TT	21.05	88A6	985
	5120	6.00-16	-	6PR	F-2	TD16	TT	21.05	88A6	1050
	5124	6.00-16	-	6PR	F-2	TD-25	TT	24.09	88A6	1078
	5126	6.00-16	-	10PR	F-2	TD-25	TT	27.98	98A6	1078
	5140	6.00-16	-	6PR	F-2	TD-17	TT	20.45	88A6	955
	5145	6.00-16	-	6PR	R-1	TA-60	TT	24.27	88A6	1002
	5150	6.50-16	-	6PR	F-2	TD-18	TT	27.50	91A6	880
	5160	6.50-16	-	8PR	F-2	TD-18	TT	27.50	97A6	952
	5170	6.50-16	-	6PR	F-2	TD16	TT	25.97	91A6	840
	5175	6.50-16	-	8PR	F-2	TD16	TT	25.97	97A6	905
	5180	6.50-16	-	6PR	R-1	TA-60	TT	26.57	91A6	877
	5189	6.50-16	-	6PR	F-2	TD-25	TT	28.51	91A6	846
	5190	6.50-16	-	8PR	F-2	TD-25	TT	32.14	97A6	846
	5210	7.50-16	-	8PR	F-2	TP8	TT	30.89	103A6	753
	5230	7.50-16	-	6PR	F-2	TD16	TT	30.56	98A6	733
	5240	7.50-16	-	8PR	F-2	TD16	TT	30.56	103A6	651
	5250	7.50-16	-	8PR	R-1	TA-60	TT	33.23	103A6	732
	5260	7.50-16	-	8PR	F-2	TD-17	TT	32.15	103A6	743

	5274	7.50-16	-	8PR	F-2	TD-25	TT	33.33	103A6	685
	5330	9.00-16	-	8PR	F-2	TD-17	TT	48.88	111A6	422
	5390	7.00-18	-	8PR	R-1	TA-60	TT	30.90	106A6	626
	5410	7.50-18	-	8PR	F-2	TD-18	TT	35.49	106A6	573
	5415	7.50-18	-	8PR	R-1	TA-60	TT	34.38	106A6	581
	5550	6.00-19	-	6PR	F-2	TD16	TT	27.22	93A6	782
	5580	6.50-20	-	8PR	F-2	TD16	TT	32.64	108A6	760
	5582	6.50-20	-	10PR	F-2	TD16	TT	32.64	115A6	760
	5590	7.50-20	-	8PR	F-2	TD16	TT	39.35	108A6	517
	5592	7.50-20	-	10PR	F-2	TD16	TT	39.35	115A6	517
	5610	7.50-20	-	8PR	F-2	TD-18	TT	42.53	108A6	490
	5615	7.50-20	-	8PR	R-1	TA-60	TT	40.71	108A6	523
	5622	10.00-16	-	8PR	F-2	TD-35	TT	62.36	114A6	424
	5625	11.00-16	-	8PR	F-2	TD-17	TT	64.35	118A6	300
	5628	8.00-20	-	8PR	R-1	TA-60	TT	48.14	113A6	392
	5630	9.50-20	-	8PR	R-1	TA-60	TT	48.08	107A6	319
<b>FARM REAR TIRES (R1) - BIAS</b>										
	6015	8.3-24	-	8PR	R-1	TA-60	TT	49.48	108A6	342
	6025	9.5-24	-	8PR	R-1	TA-60	TT	60.98	112A6	324
	6035	11.2-24	-	8PR	R-1	TA-60	TT	78.58	116A6	224
	6045	11.2-28	-	8PR	R-1	TA-60	TT	91.52	118A6	196
	6046	14.9-24 (IRRIGATION)	-	8PR	R-1	P-IRG 80	TT	98.15	128A6	150
	6044	14.9-24 (IRRIGATION)	-	8PR	R-1	P-IRG 80	TL	104.16	128A6	150
	6048	14.9-24	-	4PR	R-1	TA-60	TL	120.87	112A6	150
	6049	14.9-24	-	4PR	R-1	TA-60	TT	113.55	112A6	150
	6050	14.9-24	-	6PR	R-1	TA-60	TT	122.69	123A6	150
	6055	14.9-24	-	8PR	R-1	TA-60	TT	123.99	128A6	150
	6060	14.9-24	-	10PR	R-1	TA-60	TT	135.48	134A6	150
	6062	14.9-24	-	14PR	R-1	TA-60	TT	137.21	142A6	150
	6063	14.9-24	-	14PR	R-1	TA-60	TL	146.38	142A6	150
	6070	12.4-24	-	6PR	R-1	TA-60	TT	91.85	115A6	208
	6080	12.4-24	-	8PR	R-1	TA-60	TT	92.26	120A6	208
	6090	12.4-24	-	12PR	R-1	TA-60	TT	105.11	128A6	208
	6100	13.6-24	-	8PR	R-1	TA-60	TT	102.43	123A6	182
	6115	18.4-26	-	12PR	R-1	TA-60	TT	194.54	146A6	92
	6113	18.4-26	-	14PR	R-1	TA-60	TT	194.36	149A6	92
	6116	18.4-26	-	12PR	R-1	TA-60	TL	207.02	146A6	92
	6150	12.4-28	-	6PR	R-1	TA-60	TT	99.53	117A6	192
	6160	12.4-28	-	8PR	R-1	TA-60	TT	100.91	122A6	192
	6170	12.4-28	-	8PR	R-1	TZ13	TT	108.81	122A6	192
	6250	13.6-28	-	6PR	R-1	TA-60	TT	115.71	121A6	139
	6260	13.6-28	-	8PR	R-1	TA-60	TT	116.47	125A6	139
	6350	14.9-28	-	6PR	R-1	TA-60	TT	131.17	125A6	135
	6360	14.9-28	-	8PR	R-1	TA-60	TT	131.93	130A6	135
	6380	16.9-28	-	8PR	R-1	TA-60	TT	172.98	135A6	100
	6381	16.9-28	-	10PR	R-1	TA-60	TT	172.93	139A6	100
	6382	16.9-28	-	12PR	R-1	TA-60	TT	175.46	143A6	100
	6391	14.9-30	-	8PR	R-1	TA-60	TT	141.53	131A6	125
	6392	14.9-30	-	10PR	R-1	TA-60	TT	154.78	135A6	125
	6410	16.9-30	-	10PR	R-1	TZ13	TT	186.35	139A6	96

	6412	16.9-30	-	12PR	R-1	TZ13	TT	186.35	144A6	96
	6450	16.9-30	-	8PR	R-1	TA-60	TT	176.83	137A6	96
	6460	16.9-30	-	10PR	R-1	TA-60	TT	177.73	139A6	96
	6461	16.9-30	-	12PR	R-1	TA-60	TT	180.34	143A6	96
	6463	16.9-30	-	14PR	R-1	TA-60	TT	200.87	144A6	96
	6640	18.4-30	-	6PR	R-1	TA-60	TT	210.43	134A6	82
	6650	18.4-30	-	8PR	R-1	TA-60	TT	211.23	139A6	82
	6660	18.4-30	-	10PR	R-1	TA-60	TT	215.15	145A6	82
	6670	18.4-30	-	12PR	R-1	TA-60	TT	215.15	149A6	82
	6680	18.4-30	-	14PR	R-1	TA-60	TT	230.07	151A6	80
	6682	12.4-32	-	8PR	R-1	TA-60	TT	111.32	124A6	166
	6685	16.9-34	-	8PR	R-1	TA-60	TT	195.31	139A6	89
	6686	16.9-34	-	10PR	R-1	TA-60	TT	200.50	142A6	89
	6687	16.9-34	-	12PR	R-1	TA-60	TT	203.87	145A6	89
	6688	16.9-34	-	14PR	R-1	TA-60	TT	203.67	148A6	89
	6691	18.4-34	-	8PR	R-1	TA-60	TT	218.91	141A6	72
	6692	18.4-34	-	10PR	R-1	TA-60	TT	222.32	146A6	72
	6693	18.4-34	-	12PR	R-1	TA-60	TT	223.17	151A6	72
	6694	18.4-34	-	14PR	R-1	TA-60	TT	223.25	156A6	72
	6711	12.4-36	-	8PR	R-1	TA-60	TT	124.54	126A6	125
	6712	12.4-36	-	14PR	R-1	TA-60	TT	143.68	139A6	125
	6720	13.6-36	-	6PR	R-1	TA-60	TT	145.84	125A6	98
	6730	13.6-36	-	8PR	R-1	TA-60	TT	146.79	129A6	98
	6770	13.6-38	-	8PR	R-1	TA-60	TT	154.98	131A6	91
	6771	13.6-38	-	14PR	R-1	TA-60	TT	175.74	142A6	91
	6775	14.00-38	-	8PR	R-1	TA-60	TT	154.98	131A6	91
	6777	14.00-38	-	10PR	R-1	TA-60	TT	156.17	136A6	91
	6780	15.5-38	-	8PR	R-1	TA-60	TT	167.92	133A6	87
	6785	15.5-38	-	10PR	R-1	TA-60	TT	168.92	138A6	87
	6787	15.5-38	-	12PR	R-1	TA-60	TT	169.05	142A6	87
	6789	15.5-38	-	14PR	R-1	TA-60	TT	168.92	145A6	87
	6840	16.9-38	-	8PR	R-1	TA-60	TT	220.70	141A6	72
	6850	16.9-38	-	10PR	R-1	TA-60	TT	220.62	144A6	72
	6852	16.9-38	-	12PR	R-1	TA-60	TT	220.62	142A6	72
	6860	18.4-38	-	8PR	R-1	TA-60	TT	245.13	143A6	63
	6870	18.4-38	-	10PR	R-1	TA-60	TT	245.05	147A6	63
	6872	18.4-38	-	10PR	R-1	TA-60	TL	259.02	147A6	63
	<b>FARM REAR TA-300 TIRES (R1) - BIAS</b>									
	6028	9.5-24	-	8PR	R-1	TA-300	TT	69.06	112A6	324
	6038	11.2-24	-	8PR	R-1	TA-300	TT	91.77	116A6	224
	6065	14.9-24	-	8PR	R-1	TA-300	TT	130.76	128A6	150
	6095	12.4-24	-	8PR	R-1	TA-300	TT	101.17	120A6	208
	6097	12.4-24	-	10PR	R-1	TA-300	TT	103.09	124A6	208
	6110	13.6-24	-	8PR	R-1	TA-300	TT	122.41	123A6	182
	6180	12.4-28	-	8PR	R-1	TA-300	TT	115.37	122A6	192
	6265	13.6-28	-	8PR	R-1	TA-300	TT	132.75	125A6	139
	6365	14.9-28	-	8PR	R-1	TA-300	TT	141.55	130A6	135
	6395	14.9-30	-	8PR	R-1	TA-300	TT	153.29	131A6	125
	6473	16.9-30	-	10PR	R-1	TA-300	TT	184.40	139A6	96
	6689	16.9-34	-	8PR	R-1	TA-300	TT	204.80	139A6	89

	6505	18.4-30	-	8PR	R-1	TA-300	TT	232.26	139A6	80
	6507	18.4-30	-	10PR	R-1	TA-300	TT	234.38	145A6	80
	6509	18.4-30	-	12PR	R-1	TA-300	TT	236.07	149A6	80
	6511	18.4-30	-	14PR	R-1	TA-300	TT	251.23	151A6	80
	6695	18.4-34	-	8PR	R-1	TA-300	TT	259.70	141A6	72
	6715	12.4-36	-	8PR	R-1	TA-300	TT	143.06	126A6	125
	6750	13.6-36	-	8PR	R-1	TA-300	TT	157.76	129A6	98
	6855	16.9-38	-	8PR	R-1	TA-300	TT	225.85	141A6	72
<b>HARVESTER/TRACTOR TIRES (R1) BIAS - TA330</b>										
	6895	30.5L-32	-	12PR	R-1	TA-330-TRACTOR	TL	602.69	158A8	20
	6898	30.5L-32	-	18PR	R-1	TA-330-HARVESTER	TL	658.15	170A6	20
<b>HARVESTER (R1) - BIAS -BD60 &amp; BD65</b>										
	6679	18.4-30	-	16PR	R-1	BD60	TT	234.71	153A6	80
	6117	23.1-26	-	12PR	R-1	BD65	TT	326.07	153A6	58
	6120	23.1-26	-	14PR	R-1	BD65	TL	351.60	156A6	58
	6124	23.1-26	-	18PR	R-1	BD65	TL	376.50	162A6	58
	6683	23.1-30	-	14PR	R-1	BD65	TL	395.28	154A6	51
	6684	23.1-30	-	12PR	R-1	BD65	TT	366.39	151A6	51
	6704	23.1-30	-	18PR	R-1	BD65	TL	414.94	160A6	51
	6880	20.8-38	-	14PR	R-1	BD65	TT	370.00	159A6	42
	6881	20.8-38	-	14PR	R-1	BD65	TL	400.05	159A6	42
<b>NEW TIRE</b>	6882	20.8-38	-	16PR	R1	BD65	TT	394.89	163A6	42
<b>NEW TIRE</b>	6883	20.8-38	-	16PR	R1	BD65	TL	427.21	163A6	42
<b>HARVESTER RADIAL TIRES (R1W)</b>										
	19201	400/70 R20	-	-	I-1	PB-140 AGROPER	TL	138.49	158A8/146A8	167
	19240	620/75 R26 (23.1 R26) <b>ARAMID BELT</b>	-	-	R1-W	TA-130 AGROPER	TL	484.11	166A8/166B	28
	19241	620/75 R26 (23.1 R26)	-	-	R1-W	TA-130 AGROPER	TL	465.75	166A8/166B	28
	19250	620/75 R30 (23.1 R30) <b>ARAMID BELT</b>	-	-	R1-W	TA-130 AGROPER	TL	554.39	169A8/B	46
	19251	620/75 R30 (23.1 R30)	-	-	R1-W	TA-130 AGROPER	TL	564.16	169A8/B	46
	19300	650/75 R32 (24.5 R32) <b>ARAMID BELT</b>	XL	-	R1-W	TA-130 AGROPER	TL	654.22	172A8/172B	37
	19301	650/75 R32 (24.5 R32)	-	-	R1-W	TA-130 AGROPER	TL	622.79	172A8/172B	37
	17510	800/65 R32 (30.5 R32) <b>ARAMID BELT</b>	XL	-	R1-W	TA-130 AGROPER	TL	777.41	178A8/178B	28
	17511	800/65 R32 (30.5 R32)	-	-	R1-W	TA-130 AGROPER	TL	742.62	178A8/178B	28
<b>FARM RADIAL TIRES (R1W)</b>										
	14050	9.5 R20	-	-	R1-W	TA-110	TL	65.45	108A8/105B	324
	14100	280/85 R20 (11.2 R20)	-	-	R1-W	TA-110	TL	80.89	112A8/109B	314
	14110	320/85 R20 (12.4 R20)	-	-	R1-W	TA-110	TL	103.48	119A8/116B	230
<b>DISCONTINUED</b>	14200	9.5 R24	-	-	R1-W	TA-110	TL	77.00	107A8/104B	310
<b>LSI UPDATE</b>	14202	9.5 R24	-	-	R1-W	TA-110	TL	77.00	109A8/109B	310
	14210	280/85 R24 (11.2 R24)	-	-	R1-W	TA-110	TL	98.19	115A8/112B	238
<b>DISCONTINUED</b>	14220	320/85 R24 (12.4 R24)	-	-	R1-W	TA-110	TL	114.76	122A8/119B	209
<b>LSI UPDATE</b>	14222	320/85 R24 (12.4 R24)	-	-	R1-W	TA-110	TL	114.76	122A8/122B	209
<b>DISCONTINUED</b>	14230	340/85 R24 (13.6 R24)	-	-	R1-W	TA-110	TL	142.38	125A8/122B	176
<b>LSI UPDATE</b>	14232	340/85 R24 (13.6 R24)	-	-	R1-W	TA-110	TL	142.38	125A8/125B	176
<b>DISCONTINUED</b>	14240	380/85 R24 (14.9 R24)	-	-	R1-W	TA-110	TL	163.68	131A8/128B	140
<b>LSI UPDATE</b>	14242	380/85 R24 (14.9 R24)	-	-	R1-W	TA-110	TL	163.68	131A8/131B	140
<b>DISCONTINUED</b>	14250	420/85 R24 (16.9 R24)	-	-	R1-W	TA-110	TL	203.47	137A8/134B	101
<b>LSI UPDATE</b>	14252	420/85 R24 (16.9 R24)	-	-	R1-W	TA-110	TL	203.47	137A8/137B	103
<b>DISCONTINUED</b>	14310	280/85 R28 (11.2 R28)	-	-	R1-W	TA-110	TL	110.16	118A8/115B	204
<b>LSI UPDATE</b>	14312	280/85 R28 (11.2 R28)	-	-	R1-W	TA-110	TL	110.16	118A8/118B	204

DISCONTINUED	14320	320/85 R28 (12.4 R28)	-	-	R1-W	TA-110	TL	127.41	124A8/121B	164
LSI UPDATE	14322	320/85 R28 (12.4 R28)	-	-	R1-W	TA-110	TL	127.41	124A8/124B	164
DISCONTINUED	14330	340/85 R28 (13.6 R28)	-	-	R1-W	TA-110	TL	156.31	127A8/124B	152
LSI UPDATE	14332	340/85 R28 (13.6 R28)	-	-	R1-W	TA-110	TL	156.31	127A8/127B	152
	14335	340/85 R28 (13.6 R28)	-	-	R1-W	TA-140	TL	160.21	127A8/124B	138
DISCONTINUED	14340	380/85 R28 (14.9 R28)	-	-	R1-W	TA-110	TL	179.04	133A8/130B	118
LSI UPDATE	14342	380/85 R28 (14.9 R28)	-	-	R1-W	TA-110	TL	179.04	133A8/133B	118
DISCONTINUED	14350	420/85 R28 (16.9 R28)	-	-	R1-W	TA-110	TL	223.20	139A8/136B	98
LSI UPDATE	14352	420/85 R28 (16.9 R28)	-	-	R1-W	TA-110	TL	223.20	139A8/139B	98
DISCONTINUED	14440	380/85 R30 (14.9 R30)	-	-	R1-W	TA-110	TL	188.43	135A8/132B	109
LSI UPDATE	14442	380/85 R30 (14.9 R30)	-	-	R1-W	TA-110	TL	188.43	135A8/135B	101
DISCONTINUED	14450	420/85 R30 (16.9 R30)	-	-	R1-W	TA-110	TL	237.05	140A8/137B	88
LSI UPDATE	14452	420/85 R30 (16.9 R30)	-	-	R1-W	TA-110	TL	237.05	140A8/140B	88
DISCONTINUED	14460	460/85 R30 (18.4 R30)	-	-	R1-W	TA-110	TL	276.97	145A8/142B	76
LSI UPDATE	14462	460/85 R30 (18.4 R30)	-	-	R1-W	TA-110	TL	276.98	145A8/145B	76
	14490	320/85 R32 (12.4 R32)	-	-	R1-W	TA-110	TL	140.88	126A8/126B	129
	14520	380/85 R34 (14.9 R34)	-	-	R1-W	TA-110	TL	216.07	137A8/137B	96
DISCONTINUED	14550	420/85 R34 (16.9 R34)	-	-	R1-W	TA-110	TL	257.03	142A8/139B	79
LSI UPDATE	14552	420/85 R34 (16.9 R34)	-	-	R1-W	TA-110	TL	257.03	142A8/142B	79
	14560	460/85 R34 (18.4 R34)	-	-	R1-W	TA-110	TL	303.97	147A8/144B	70
	14600	320/85 R36 (12.4 R36)	-	-	R1-W	TA-110	TL	170.62	128A8/125B	124
DISCONTINUED	14610	340/85 R36 (13.6 R36)	-	-	R1-W	TA-110	TL	187.75	132A8/129B	107
LSI UPDATE	14612	340/85 R36 (13.6 R36)	-	-	R1-W	TA-110	TL	187.75	132A8/132B	107
	14620	320/85 R38 (12.4 R38)	-	-	R1-W	TA-110	TL	187.72	143A8/143B	107
	14630	340/85 R38 (13.6 R38)	-	-	R1-W	TA-110	TL	197.75	133A8/130B	91
DISCONTINUED	14640	380/85 R38 (14.9 R38)	-	-	R1-W	TA-110	TL	222.99	139A8/136B	89
LSI UPDATE	14642	380/85 R38 (14.9 R38)	-	-	R1-W	TA-110	TL	222.99	139A8/139B	89
DISCONTINUED	14650	420/85 R38 (16.9 R38)	-	-	R1-W	TA-110	TL	277.67	144A8/141B	60
LSI UPDATE	14652	420/85 R38 (16.9 R38)	-	-	R1-W	TA-110	TL	277.67	144A8/144B	60
	14660	460/85 R38 (18.4 R38)	-	-	R1-W	TA-110	TL	324.61	149A8/146B	52
DISCONTINUED	14661	460/85 R38 (18.4 R38)	XL	-	R1-W	TA-110	TL	337.04	149A8/146B	52
LSI UPDATE	14663	460/85 R38 (18.4 R38)	XL	-	R1-W	TA-110	TL	337.04	149A8/149B	52
	14680	520/85 R38 (20.8 R38)	-	-	R1-W	TA-110	TL	430.54	155A8/152B	42
DISCONTINUED	14682	520/85 R38 (20.8 R38)	XL	-	R1-W	TA-110	TL	463.55	155A8/152B	42
LSI UPDATE	14683	520/85 R38 (20.8 R38)	XL	-	R1-W	TA-110	TL	463.55	172A8/172B	42
	14710	520/85 R42 (20.8 R42)	-	-	R1-W	TA-110	TL	496.32	157A8/157B	32
	14712	520/85 R42 (20.8 R42)	XL	-	R1-W	TA-110	TL	511.34	162A8/162B	32
NEW TIRE	14714	VF520/85 R42 (20.8 R42)	XL	-	R1-W	TA-110	TL	550.88	174D/177A8	32
	14740	340/85 R46	-	-	R1-W	TA-120	TL	252.57	153A8/150D	73
	14850	340/85 R48	-	-	R1-W	TA-120	TL	267.51	151D	69
	14750	520/85 R46 (20.8 R46)	-	-	R1-W	TA-110	TL	524.34	158A8/155B	31
	14690	650/85 R38	-	-	R1-W	TA-110 PLUS	TL	728.55	173A8/173B	29
	15830	260/80 R20 (8.00 R20)	-	-	R1-W	TA-110	TL	66.75	106A8/103B	350
	18180	480/80 R38 (18.4 R38)	-	-	R1-W	TA-110	TL	354.28	149A8/149B	53
	18200	480/80 R42 (18.4 R42)	-	-	R1-W	TA-110	TL	408.23	151A8/151B	42
	17950	480/80 R46 (18.4 R46)	-	-	R1-W	TA-110	TL	441.63	158A8/158B	32
	17960	480/80 R50 (18.4 R50)	-	-	R1-W	TA-110	TL	470.24	159A8/159B	30
	15510	200/70 R16	-	-	R1-W	TA-110	TL	34.34	94A8/94B	590
	15520	240/70 R16 (6.00 R16)	-	-	R1-W	TA-110	TL	47.12	104A8/101B	507
	15530	260/70 R16 (6.50 R16)	-	-	R1-W	TA-110	TL	50.45	109A8/106B	452

	15730	260/70 R20 (6.50 R20)	-	-	R1-W	TA-110	TL	60.82	113A8/113B	399
	15540	280/70 R16 (7.50 R16)	-	-	R1-W	TA-110	TL	57.18	112A8/112B	434
	15640	280/70 R18 (7.50 R18)	-	-	R1-W	TA-110	TL	60.97	114A8/114B	401
	15740	280/70 R20 (7.50 R20)	-	-	R1-W	TA-110	TL	67.72	116A8/116B	346
<b>DISCONTINUED</b>	16010	300/70 R20 (9.50 R20)	-	-	R1-W	TA-110	TL	80.95	110A8/110B	319
<b>LSI UPDATE</b>	16012	300/70 R20 (9.50 R20)	-	-	R1-W	TA-110	TL	80.95	120A8/120B	319
<b>DISCONTINUED</b>	16020	320/70 R20 (11.2 R20)	-	-	R1-W	TA-110	TL	91.46	113A8/113B	290
<b>LSI UPDATE</b>	16022	320/70 R20 (11.2 R20)	-	-	R1-W	TA-110	TL	91.46	123A8/123B	290
<b>DISCONTINUED</b>	16040	360/70 R20 (12.4 R20)	-	-	R1-W	TA-110	TL	119.92	120A8/117B	230
<b>LSI UPDATE</b>	16042	360/70 R20 (12.4 R20)	-	-	R1-W	TA-110	TL	119.92	129A8/129B	230
	16050	380/70 R20 (13.6 R20)	-	-	R1-W	TA-110	TL	138.07	132A8/132B	186
<b>DISCONTINUED</b>	16060	320/70 R24 (11.2 R24)	-	-	R1-W	TA-110	TL	103.01	116A8/113B	230
<b>LSI UPDATE</b>	16062	320/70 R24 (11.2 R24)	-	-	R1-W	TA-110	TL	103.01	116D	230
<b>DISCONTINUED</b>	16070	360/70 R24 (12.4 R24)	-	-	R1-W	TA-110	TL	135.81	122A8/119B	185
<b>LSI UPDATE</b>	16072	360/70 R24 (12.4 R24)	-	-	R1-W	TA-110	TL	135.81	122D	185
<b>DISCONTINUED</b>	16080	380/70 R24 (13.6 R24)	-	-	R1-W	TA-110	TL	152.89	125A8/125B	144
<b>LSI UPDATE</b>	16082	380/70 R24 (13.6 R24)	-	-	R1-W	TA-110	TL	152.89	125D	154
<b>DISCONTINUED</b>	16100	420/70 R24 (14.9 R24)	-	-	R1-W	TA-110	TL	176.70	130A8/127B	122
<b>LSI UPDATE</b>	16102	420/70 R24 (14.9 R24)	-	-	R1-W	TA-110	TL	176.70	130D/133A8	122
<b>DISCONTINUED</b>	16120	480/70 R24 (16.9 R24)	-	-	R1-W	TA-110	TL	226.09	138A8/135B	99
<b>LSI UPDATE</b>	16122	480/70 R24 (16.9 R24)	-	-	R1-W	TA-110	TL	226.09	138D	99
	16220	480/70 R26 (16.9 R26)	-	-	R1-W	TA-110	TL	236.45	139A8/136B	82
<b>DISCONTINUED</b>	16340	320/70 R28 (11.2 R28)	-	-	R1-W	TA-110	TL	120.62	119A8/116B	168
<b>LSI UPDATE</b>	16342	320/70 R28 (11.2 R28)	-	-	R1-W	TA-110	TL	120.62	119A8/119B	177
<b>DISCONTINUED</b>	16360	360/70 R28 (12.4 R28)	-	-	R1-W	TA-110	TL	155.25	125A8/122B	131
<b>LSI UPDATE</b>	16362	360/70 R28 (12.4 R28)	-	-	R1-W	TA-110	TL	155.25	125D	143
<b>DISCONTINUED</b>	16380	380/70 R28 (13.6 R28)	-	-	R1-W	TA-110	TL	165.11	127A8/127B	121
<b>LSI UPDATE</b>	16382	380/70 R28 (13.6 R28)	-	-	R1-W	TA-110	TL	165.11	127D	121
<b>DISCONTINUED</b>	16400	420/70 R28 (14.9 R28)	-	-	R1-W	TA-110	TL	196.74	133A8/133B	99
<b>LSI UPDATE</b>	16402	420/70 R28 (14.9 R28)	-	-	R1-W	TA-110	TL	196.73	133D	99
<b>DISCONTINUED</b>	16440	480/70 R28 (16.9 R28)	-	-	R1-W	TA-110	TL	252.52	140A8/140B	81
<b>LSI UPDATE</b>	16442	480/70 R28 (16.9 R28)	-	-	R1-W	TA-110	TL	252.52	140D	81
	16490	600/70 R28	-	-	R1-W	TA-130	TL	390.65	161D	74
<b>DISCONTINUED</b>	16540	420/70 R30 (14.9 R30)	-	-	R1-W	TA-110	TL	206.65	134A8/131B	96
<b>LSI UPDATE</b>	16542	420/70 R30 (14.9 R30)	-	-	R1-W	TA-110	TL	206.65	134D	99
<b>DISCONTINUED</b>	16580	480/70 R30 (16.9 R30)	-	-	R1-W	TA-110	TL	264.08	141A8/138B	72
<b>LSI UPDATE</b>	16582	480/70 R30 (16.9 R30)	-	-	R1-W	TA-110	TL	264.08	141D	72
	16620	520/70 R30 (18.4 R30)	-	-	R1-W	TA-110	TL	319.67	145A8/142B	69
	16640	600/70 R30 (23.1 R26)	-	-	R1-W	TA-130	TL	409.20	158D	50
	16642	IF600/70 R30	-	-	R1-W	TA-130	TL	414.56	165D	50
	16760	480/70 R34 (16.9 R34)	-	-	R1-W	TA-110	TL	289.83	143A8/140B	64
<b>DISCONTINUED</b>	16780	520/70 R34 (18.4 R34)	-	-	R1-W	TA-110	TL	362.98	148A8/145B	59
<b>LSI UPDATE</b>	16782	520/70 R34 (18.4 R34)	-	-	R1-W	TA-110	TL	362.98	148D	59
	16795	600/70 R34	-	-	R1-W	TA-130	TL	446.97	160D	44
<b>DISCONTINUED</b>	16840	480/70 R38 (16.9 R38)	-	-	R1-W	TA-110	TL	323.63	145A8/142B	55
<b>LSI UPDATE</b>	16842	480/70 R38 (16.9 R38)	-	-	R1-W	TA-110	TL	323.64	145D	55
<b>DISCONTINUED</b>	16860	520/70 R38 (18.4 R38)	-	-	R1-W	TA-110	TL	391.61	150A8/147B	47
<b>LSI UPDATE</b>	16862	520/70 R38 (18.4 R38)	-	-	R1-W	TA-110	TL	391.61	150D	47
<b>DISCONTINUED</b>	16880	580/70 R38 (20.8 R38)	-	-	R1-W	TA-110	TL	455.36	155A8/152B	38
<b>LSI UPDATE</b>	16882	580/70 R38 (20.8 R38)	-	-	R1-W	TA-110	TL	455.36	155D	38



	16895	710/70 R38	-	-	R1-W	TA-130 PLUS	TL	718.61	171D/174A8	28
	16900	800/70 R38	-	-	R1-W	TA-130	TL	787.38	178D	22
	16670	IF800/70 R38	-	-	R1-W	TA-130	TL	801.13	184D	22
	16930	580/70 R42 (20.8 R42)	-	-	R1-W	TA-110	TL	452.80	158A8/158B	37
	16940	620/70 R42	-	-	R1-W	TA-130	TL	589.42	166D	33
	16960	710/70 R42	-	-	R1-W	TA-130 PLUS	TL	764.70	173D/176A8	25
	17210	420/65 R24 (12.4 R24)	-	-	R1-W	TA-110	TL	162.00	126D/126B	135
<b>DISCONTINUED</b>	17220	440/65 R24 (13.6 R24)	-	-	R1-W	TA-110	TL	172.68	128D/131A8	129
<b>LSI UPDATE</b>	17221	440/65 R24 (13.6 R24)	-	-	R1-W	TA-110	TL	172.68	135D/138A8	129
<b>DISCONTINUED</b>	17260	480/65 R24 (14.9 R24)	-	-	R1-W	TA-110	TL	201.80	133D/136A8	113
<b>LSI UPDATE</b>	17261	480/65 R24 (14.9 R24)	-	-	R1-W	TA-110	TL	201.80	140D/143A8	113
<b>DISCONTINUED</b>	17280	540/65 R24 (16.9 R24)	-	-	R1-W	TA-110	TL	255.36	140D/143A8	90
<b>LSI UPDATE</b>	17281	540/65 R24 (16.9 R24)	-	-	R1-W	TA-110	TL	255.36	146D/149A8	90
<b>DISCONTINUED</b>	17320	440/65 R28 (13.6 R28)	-	-	R1-W	TA-110	TL	189.50	131D/134A8	112
<b>LSI UPDATE</b>	17321	440/65 R28 (13.6 R28)	-	-	R1-W	TA-110	TL	189.50	138D/141A8	112
<b>DISCONTINUED</b>	17360	480/65 R28 (14.9 R28)	-	-	R1-W	TA-110	TL	222.32	136D/139A8	96
<b>LSI UPDATE</b>	17361	480/65 R28 (14.9 R28)	-	-	R1-W	TA-110	TL	222.32	142D/145A8	96
	17380	540/65 R28 (16.9 R28)	-	-	R1-W	TA-110	TL	281.76	149D/152A8	75
	17480	540/65 R30 (16.9 R30)	-	-	R1-W	TA-110	TL	295.65	150D/153A8	70
<b>DISCONTINUED</b>	17560	540/65 R34 (16.9 R34)	-	-	R1-W	TA-110	TL	320.29	145D/148A8	62
<b>LSI UPDATE</b>	17561	540/65 R34 (16.9 R34)	-	-	R1-W	TA-110	TL	320.29	152D/155A8	62
<b>DISCONTINUED</b>	17620	540/65 R38 (16.9 R38)	-	-	R1-W	TA-110	TL	346.53	147D/150A8	54
<b>LSI UPDATE</b>	17621	540/65 R38 (16.9 R38)	-	-	R1-W	TA-110	TL	346.53	153D/156A8	54
	17400	600/65 R28 (18.4 R28)	-	-	R1-W	TA-130	TL	350.73	154D/157A8	57
<b>DISCONTINUED</b>	17580	600/65 R34 (18.4 R34)	-	-	R1-W	TA-110	TL	404.13	151D/154A8	49
<b>LSI UPDATE</b>	17581	600/65 R34 (18.4 R34)	-	-	R1-W	TA-110	TL	404.13	157D/160A8	49
	17640	600/65 R38 (18.4 R38)	-	-	R1-W	TA-110	TL	433.93	159D/162A8	44
	17710	600/65 R42 (18.4 R42)	-	-	R1-W	TA-130	TL	458.97	154D/157A8	32
	17660	650/65 R38	-	-	R1-W	TA-110 PLUS	TL	547.46	163D/166A8	34
	17662	650/65 R38	-	-	R1-W	TA-110 PLUS	TL	560.09	171D/174A8	34
	17720	650/65 R42 (20.8 R42)	-	-	R1-W	TA-130 PLUS	TL	592.89	170D/173A8	32
<b>DISCONTINUED</b>	17840	210/95 R32 (8.3 R32)	-	-	R1-W	TA-120	TL	89.50	114A8/114B	240
<b>LSI UPDATE</b>	17841	210/95 R32 (8.3 R32)	-	-	R1-W	TA-120	TL	89.50	120A8/120B	240
<b>DISCONTINUED</b>	17860	230/95 R32 (9.5 R32)	-	-	R1-W	TA-120	TL	115.10	126A8/126B	219
<b>LSI UPDATE</b>	17862	230/95 R32 (9.5 R32)	-	-	R1-W	TA-110	TL	115.10	128D/131A8	219
	17865	270/95 R32 (11.2 R32)	-	-	R1-W	TA-120	TL	151.71	136A8/136B	166
<b>DISCONTINUED</b>	17880	210/95 R36 (8.3 R36)	-	-	R1-W	TA-120	TL	100.03	116A8/116B	195
<b>LSI UPDATE</b>	17882	210/95 R36 (8.3 R36)	-	-	R1-W	TA-110	TL	100.03	118D/121A8	195
<b>DISCONTINUED</b>	17890	230/95 R36 (9.5 R36)	-	-	R1-W	TA-120	TL	123.50	128A8/128B	179
<b>LSI UPDATE</b>	17892	230/95 R36 (9.5 R36)	-	-	R1-W	TA-120	TL	127.04	130D/133A8	179
	17900	270/95 R36	-	-	R1-W	TA-120	TL	165.95	139A8/136D	138
	17896	270/95 R38 (11.2 R38)	-	-	R1-W	TA-120	TL	175.09	140A8/140B	114
<b>DISCONTINUED</b>	17910	230/95 R40 (9.5 R40)	-	-	R1-W	TA-120	TL	129.99	122A8/122B	155
<b>LSI UPDATE</b>	17912	230/95 R40 (9.5 R40)	-	-	R1-W	TA-120	TL	133.88	132D/135A8	155
	17920	210/95 R44 (8.3 R44)	-	-	R1-W	TA-120	TL	121.59	120A8/120B	161
	17940	230/95 R44 (9.5 R44)	-	-	R1-W	TA-120	TL	146.75	132A8/132B	135
	17943	270/95 R44 (11.2 R44)	-	-	R1-W	TA-120	TL	197.23	142A8/142B	130
	17941	300/95 R46 (12.4 R46)	-	-	R1-W	TA-120	TL	247.95	148A8/148B	124
<b>DISCONTINUED</b>	17942	230/95 R48 (9.5 R48)	-	-	R1-W	TA-120	TL	156.44	136A2/125A8	126
<b>LSI UPDATE</b>	17944	230/95 R48 (9.5 R48)	-	-	R1-W	TA-120	TL	161.18	136D/139A8	126

	17946	270/95 R48 (11.2 R48)	-	-	R1-W	TA-120	TL	215.12	144A8/144B	109
	17945	270/95 R54 (11.2 R54)	-	-	R1-W	TA-120	TL	238.89	157A2	77
	17964	300/95 R52 (12.4 R52)	-	-	R1-W	TA-120	TL	280.93	156D	71
	18100	380/90 R46	-	-	R1-W	TA-120	TL	304.49	159D	59
<b>COMPACTOR TIRES (C1)</b>					<b>#N/A</b>	<b>#N/A</b>				
	4760	11.00-20	-	-	C-1	PC-1	TT	147.68	165A2	242
	4770	13.0/80 R20 COMPACTOR	-	-	C-1	PC-1	TL	126.67	164A3	211
<b>FORKLIFT TIRES - PNEUMATIC</b>										
	490	23X5-13	-	10PR	Pneumatic	HL10	TT	22.54	121A5	1466
	568	23X5-13	-	10PR	Pneumatic	HL30	TT	29.03	121A5	1055
	498	4.00-8	-	8PR	Pneumatic	HL10	TT	8.13	94A5	4530
	496	4.00-8	-	8PR	Pneumatic	HL30	TT	8.72	94A5	4530
	502	5.00-8	-	10PR	Pneumatic	HL10	TT	14.10	111A5	2956
	501	5.00-8	-	10PR	Pneumatic	HL30	TT	14.25	111A5	2956
	503	16X6-8	-	16PR	Pneumatic	HL30	TT	13.24	113A5	2300
	504	18X7-8	-	16PR	Pneumatic	HL10	TT	18.42	125A5	2312
	505	18X7-8	-	16PR	Pneumatic	HL30	TT	20.96	125A5	2312
	506	6.00-9	-	12PR	Pneumatic	HL10	TT	21.35	121A5	1865
	536	6.00-9 EXTRA DURABLE	-	12PR	Pneumatic	HL30	TT	23.16	121A5	1865
	546	6.00-9 EXTRA DURABLE	-	12PR	Pneumatic	HL40	TT	24.97	121A5	1865
	508	21X8-9	-	14PR	Pneumatic	HL10	TT	28.26	131A5	1435
	507	21X8-9	-	14PR	Pneumatic	HL30	TT	31.03	131A5	1435
	511	6.50-10	-	12PR	Pneumatic	HL10	TT	25.89	125A5	1362
	509	6.50-10 EXTRA DURABLE	-	12PR	Pneumatic	HL30	TT	32.07	125A5	1490
	512	6.50-10 EXTRA DURABLE	-	12PR	Pneumatic	HL40	TT	33.35	125A5	1445
	514	23X9-10	-	20PR	Pneumatic	HL10	TT	37.57	142A5	1129
	513	23X9-10	-	20PR	Pneumatic	HL30	TT	36.65	142A5	1129
	516	7.00-12	-	14PR	Pneumatic	HL10	TT	33.88	134A5	948
	556	7.00-12 EXTRA DURABLE	-	14PR	Pneumatic	HL30	TT	34.17	134A5	948
	566	7.00-12 EXTRA DURABLE	-	14PR	Pneumatic	HL40	TT	36.20	134A5	948
	517	27X10-12	-	14PR	Pneumatic	HL10	TT	47.39	143A5	720
	523	27X10-12	-	14PR	Pneumatic	HL30	TT	53.82	143A5	720
	570	7.50-15	-	14PR	Pneumatic	HL30	TT	59.26	144A5	721
	518	8.15-15	-	14PR	Pneumatic	HL10	TT	47.73	146A5	737
	519	8.15-15 EXTRA DURABLE	-	14PR	Pneumatic	HL30	TT	48.91	146A5	760
	525	8.15-15 EXTRA DURABLE	-	14PR	Pneumatic	HL40	TT	51.43	146A5	782
	520	8.25-15	-	16PR	Pneumatic	HL10	TT	67.67	149A5	527
	521	8.25-15 EXTRA DURABLE	-	16PR	Pneumatic	HL40	TT	67.94	152A5	540
	572	250-15	-	20PR	Pneumatic	HL30	TT	58.63	155A5	650
	574	300-15	-	20PR	Pneumatic	HL30	TT	83.69	164A5	530
<b>FORKLIFT TIRES - SOLID</b>										
	600	4.00-8 (3.00-D) W/ LOCKRING	-	-	SOLID	SOLID ST	-	21.53	-	3665
<b>NEW TIRE</b>	601	4.00-8 (3.00-D) W/O LOCKRING	-	-	SOLID	SOLID ST	-	24.24	-	3665
	602	18x7-8 (4.33R-8) W/ LOCKRING	-	-	SOLID	SOLID ST	-	43.97	-	2116
<b>NEW TIRE</b>	603	18x7-8 (4.33R-8) W/O LOCKRING	-	-	SOLID	SOLID ST	-	45.18	-	2116
	604	5.00-8 (3.25I-8) W/ LOCKRING	-	-	SOLID	SOLID ST	-	37.36	-	2461
<b>NEW TIRE</b>	605	5.00-8 (3.25I-8) W/O LOCKRING	-	-	SOLID	SOLID ST	-	35.78	-	2461
	606	15x4.5-8 (3.00D-8) W/ LOCKRING	-	-	SOLID	SOLID ST	-	21.44	-	4623
<b>NEW TIRE</b>	607	15x4.5-8 (3.00D-8) W/O LOCKRING	-	-	SOLID	SOLID ST	-	20.31	-	4623
	608	16x6-8 (4.33R-8) W/ LOCKRING	-	-	SOLID	SOLID ST	-	34.98	-	2932

NEW TIRE	609	16x6-8 (4.33R-8) W/O LOCKRING	-	-	SOLID	SOLID ST	-	33.53	-	2932
	610	21x8-9 (6.00E-9) W/ LOCKRING	-	-	SOLID	SOLID ST	-	71.63	-	1305
NEW TIRE	611	21x8-9 (6.00E-9) W/O LOCKRING	-	-	SOLID	SOLID ST	-	71.63	-	1305
	612	6.00-9 (4.00E-9) W/ LOCKRING	-	-	SOLID	SOLID ST	-	54.22	-	1865
NEW TIRE	613	6.00-9 (4.00E-9) W/O LOCKRING	-	-	SOLID	SOLID ST	-	54.21	-	1865
	614	140/55-9 (4.00-E) W/ LOCKRING	-	-	SOLID	SOLID ST	-	21.49	-	4054
NEW TIRE	615	140/55-9 (4.00-E) W/O LOCKRING	-	-	SOLID	SOLID ST	-	21.49	-	4054
	620	6.50-10 (5.00F-10) W/ LOCKRING	-	-	SOLID	SOLID ST	-	79.34	-	1490
NEW TIRE	621	6.50-10 (5.00F-10) W/O LOCKRING	-	-	SOLID	SOLID ST	-	79.34	-	1490
	622	23x9-10 (6.50F-10) W/ LOCKRING	-	-	SOLID	SOLID ST	-	100.28	-	919
NEW TIRE	623	23x9-10 (6.50F-10) W/O LOCKRING	-	-	SOLID	SOLID ST	-	100.28	-	919
	624	200/50-10 (6.50F-10) W/ LOCKRING	-	-	SOLID	SOLID ST	-	51.79	-	1798
NEW TIRE	625	200/50-10 (6.50F-10) W/O LOCKRING	-	-	SOLID	SOLID ST	-	51.79	-	1798
	630	23x10-12 (8.00G-12) W/ LOCKRING	-	-	SOLID	SOLID ST	-	108.55	-	905
NEW TIRE	631	23x10-12 (8.00G-12) W/O LOCKRING	-	-	SOLID	SOLID ST	-	108.55	-	905
	632	27x10-12 (8.00G-12) W/ LOCKRING	-	-	SOLID	SOLID ST	-	160.89	-	720
NEW TIRE	633	27x10-12 (8.00G-12) W/O LOCKRING	-	-	SOLID	SOLID ST	-	160.89	-	720
	634	7.00-12 (5.00S-12) W/ LOCKRING	-	-	SOLID	SOLID ST	-	102.51	-	948
NEW TIRE	635	7.00-12 (5.00S-12) W/O LOCKRING	-	-	SOLID	SOLID ST	-	102.51	-	948
	650	250-15 (7.0-15) W/ LOCKRING	-	-	SOLID	SOLID ST	-	145.49	-	721
NEW TIRE	651	250-15 (7.0-15) W/O LOCKRING	-	-	SOLID	SOLID ST	-	145.48	-	721
	654	8.25-15 W/ LOCKRING	-	-	SOLID	SOLID ST	-	194.86	-	527
NEW TIRE	655	8.25-15 W/O LOCKRING	-	-	SOLID	SOLID ST	-	194.84	-	527
	656	8.15-15 (7.0-15) W/ LOCKRING	-	-	SOLID	SOLID ST	-	125.19	-	686
NEW TIRE	657	8.15-15 (7.0-15) W/O LOCKRING	-	-	SOLID	SOLID ST	-	125.19	-	686
<b>IND. &amp; OTR RADIAL TIRES (L2/G2/G3/E3/L3/E-L3)</b>										
	7110	400/70 R20	-	-	L2	PtxND31	TL	163.55	149A8/149B	182
	7122	340/80 R18 (12.5 R18)	-	-	L2	PtxND31	TL	127.68	143A8/143B	310
	7124	340/80 R20	-	-	L2	PtxND31	TL	137.53	138A8/138B	238
	7126	340/80 R20	-	-	L2	PtxND31	TL	137.53	144A8/144B	238
	7142	440/80 R28 (16.9 R28)	-	-	L2	PtxND31	TL	279.91	156A8/156B	94
	7146	480/80 R26	-	-	L2	PtxND31	TL	312.91	167A8/167B	92
	7112	405/70 R20	-	-	L2	PtxND31	TL	163.52	149A8/149B	187
	7134	460/70 R24 (17.5L R24)	-	-	L2	PtxND31	TL	237.39	159A8/159B	100
	7137	460/70 R24 (17.5L R24)	-	-	L2	PtxND33	TL	199.23	159A8/159B	100
NEW TIRE	8009	14.00 R24	-	-	L2/E2	PtxRD22	TL	352.09	188A2/169B	115
PART# CHANGE	8010	14.00 R24	-	-	G2	PtxRD22	TL	226.36	153A8	115
NEW TIRE	8011	14.00 R24	-	-	L2	PtxND32	TL	349.14	196A5	122
	8012	17.5 R25	-	-	E3/L3	PtxRD31	TL	392.60	182A2/167B	90
	8017	17.5 R25	-	-	L3/G-3	PtxRD31	TL	326.48	176A2/153A8	90
	8032	20.5 R25	-	-	E3/L3	PtxRD31	TL	580.22	193A2/177B	36
	8042	23.5 R25	-	-	E3/L3	PtxRD31	TL	762.44	201A2/185B	32
	8047	650/65 R25	-	-	E3	PtxRD35	TL	668.27	180B	53
NEW TIRE	8048	23.5 R25	-	-	E4/L4	PtxHD41	TL	801.62	201A2/185B	32
	8052	26.5 R25	-	-	E3/L3	PtxRD31	TL	1100.74	209A2/193B	26
	8056	26.5 R25	-	-	L4	PtxTD41	TL	1153.20	209/A2	26
	8057	26.5 R25	-	-	E4/L4	PtxHD41	TL	1132.74	209A2/193B	26
	8062	29.5 R25	-	-	E3/L3	PtxRD31	TL	1301.26	216A2/200B	24
	8066	29.5 R25	-	-	L4	PtxTD41	TL	1392.08	216A2	24
	8067	29.5 R25	-	-	L4/E4	PtxHD41	TL	1398.68	216A2/200B	24

	8081	33.25 R29	-	-	E3	PtxRD34	TL	1768.85	209B	14
	<b>INDUSTRIAL TIRES - BIAS</b>									
	7020	10.0/75-15.3	-	12PR	R4	IND15	TL	52.03	126A8	529
	7025	11.5/80-15.3	-	12PR	R4	IND15	TL	65.64	135A8	407
	7012	11L-16SL	-	12PR	F-3	TD45	TL	53.11	116A8	486
	7030	10-16.5	-	8PR	R4 - BAR	NHS IND15	TL	55.58	131A3	531
	7033	10-16.5	-	12PR	R4 - BLOCK	IND35	TL	76.12	138A3	531
	7035	12-16.5	-	10PR	R4 - BAR	NHS IND15	TL	67.82	142A3	425
	7038	12-16.5	-	14PR	R4 - BLOCK	IND35	TL	97.62	147A3	425
	7040	10.5/80-18	-	12PR	R4	IND15	TL	66.67	134A8	330
	7043	280/80-18	-	12PR	R4	IND15	TL	66.67	134A8	397
	7051	12.5/80-18	-	14PR	R4	IND25	TL	87.63	146A8	284
	7055	340/80-18	-	12PR	R4	IND25	TL	87.63	142A8	310
	7066	405/70-20	-	14PR	R4	IND15	TL	142.22	154A8	187
	7078	405/70-20	-	16PR	R4	IND25	TL	160.84	154A8	187
	7065	16.0/70-20	-	14PR	R4	IND15	TL	142.22	154A8	187
	7070	16.0/70-20	-	14PR	R4	IND25	TL	160.84	154A8	187
	7072	16.0/70-20	-	16PR	R4	IND25	TL	160.84	156A8	187
	7064	16.0/70-20	-	16PR	R4	IND30	TL	127.52	156A8	187
	7068	16.0/70-24	-	14PR	R4	IND15	TL	168.32	152B	135
	7080	16.0/70-24	-	14PR	R4	IND25	TL	179.91	152B	150
	7069	405/70-24	-	14PR	R4	IND15	TL	168.32	152B	135
	7084	405/70-24	-	14PR	R4	IND25	TL	179.91	152B	150
	7100	15.5/80-24	XL	12PR	R4	TA-60	TL	152.21	157/145A8	139
	7102	15.5/80-24	XL	16PR	R4	TA-60	TL	155.36	163/151A8	139
	7200	7.50-20	-	10PR	EXCAVATOR	NB38	TT	52.39	123/122B	570
	7231	9.00-20	-	14PR	EXCAVATOR	NB38	TT	91.14	140/137B	313
	7262	10.00-20	-	16PR	EXCAVATOR	NB38	TT	109.25	146/143B	284
	7270	14.5-20	-	14PR	R4	IND15	TT	116.05	143D	225
	7271	14.5-20	-	14PR	R4	IND15	TL	126.72	143D	225
	7275	14.5-20	-	14PR	R4	IND25	TT	115.47	143D	225
	7276	14.5-20	-	14PR	R4	IND25	TL	125.90	143D	225
	<b>INDUSTRIAL TIRES - BIAS</b>									
	7459	19.5L-24	-	12PR	L2	IND25	TL	190.93	151A8	120
	7464	440/80-24	-	12PR	L2	IND25	TL	179.77	149A8	121
	7466	16.9-24	-	12PR	L2	IND25	TL	179.77	149A8	134
	7467	16.9-24	-	14PR	L2	IND25	TL	179.77	152A8	134
	7468	16.5/85-24	-	12PR	L2	IND25	TL	179.41	149A8	121
	7469	16.5/85-24	-	16PR	L2	IND25	TL	197.05	156A8	121
	7470	15.5-25	-	12PR	L2	PL2	TL	182.18	149B	132
	7612	16.9-28	-	12PR	L2	IND25	TT	191.32	152A8	92
	7614	16.9-28	-	14PR	L2	IND25	TL	214.06	156A8	92
	7616	16.5/85-28	-	12PR	R4	IND25	TL	206.06	152A8	92
	7618	440/80-28	-	12PR	L2	IND25	TL	206.06	152A8	92
	7624	480/80-26	-	14PR	L2	IND25	TL	252.21	158A8	95
	7626	480/80-26	-	12PR	0	IND15	TL	231.77	156A8	94
	7627	18.4-26	-	12PR	L2	IND25	TL	227.11	156A8	101
	7628	18.4-26	-	14PR	L2	IND25	TL	237.00	158A8	101
	7632	18.4-26	-	16PR	L2	IND25	TL	249.60	160A8	101
	7634	18.4-26	-	14PR	L2	IND5	TL	234.49	145A8	101

	7629	16.9-30	-	14PR	L2	IND5	TL	220.37	153A8	96
<b>INDUSTRIAL TIRES - BIAS</b>										
	7635	23.1-26	-	14PR	R3	IND15	TL	334.69	166A8	58
	7641	23.1-26	-	12PR	R3	FLT2	TL	318.09	162A8	58
	7642	23.1-26	-	10PR	R3	FLT2	TT	292.01	158A8	58
	7643	23.1-26	-	14PR	R3	FLT2	TL	319.06	166A8	58
<b>GRADER (G2) BIAS</b>										
	7365	13.00-24	-	12PR	G-2	PG200	TT	150.21	143A8	155
	7370	13.00-24	-	12PR	G-2	PG200	TL	157.58	143A8	155
	7372	13.00-24	-	16PR	G-2	PG200	TT	149.92	151A8	155
	7374	13.00-24	-	16PR	G-2	PG200	TL	157.58	151A8	155
	7446	14.00-24	-	16PR	G-2	PG200	TT	180.48	153A8	129
	7447	14.00-24	-	16PR	G-2	PG200	TL	188.97	153A8	129
	7461	16.00-24	-	16PR	G-2	PG300	TL	271.09	160A8	104
<b>OTR TIRES (E3) - BIAS</b>										
	7400	14.00-24	-	16PR	E3	NB57	TT	216.38	153D	130
	7415	14.00-24	-	20PR	E3	NB57	TL	253.11	157D	130
	7420	14.00-24	-	24PR	E3	NB57	TT	245.44	160D	130
	7425	14.00-24	-	28PR	E3	NB57	TT	256.53	168D	130
	7426	14.00-24	-	28PR	E3	NB57	TL	258.66	168D	130
	7430	14.00-24	-	32PR	E3	NB57	TT	258.35	170D	130
	7431	14.00-24	-	32PR	E3	NB57	TL	269.67	170D	130
<b>OTR TIRES (L3) - BIAS</b>										
	7480	17.5-25	-	12PR	L3	NB57	TL	243.87	171A2	93
	7490	17.5-25	-	16PR	L3	NB57	TT	268.70	177A2	93
	7500	17.5-25	-	16PR	L3	NB57	TL	277.64	177A2	93
	7510	17.5-25	-	20PR	L3	NB57	TL	280.38	181A2	93
	7530	20.5-25	-	16PR	L3	NB57	TL	393.02	181A2	36
	7535	20.5-25	-	20PR	L3	NB57	TL	392.99	186A2	36
	7536	20.5-25	-	24PR	L3	NB57	TL	392.99	189A2	36
	7545	23.5-25	-	20PR	L3	NB57	TL	607.50	191A2	32
	7547	23.5-25	-	24PR	L3	NB57	TL	652.62	196A2	32
<b>OTR TIRES (L3) - BIAS</b>										
	7712	17.5-25	-	16PR	L3	NB60	TL	284.82	177A2	93
	7722	20.5-25	-	20PR	L3	NB60	TL	415.96	186A2	36
	7732	23.5-25	-	20PR	L3	NB60	TL	609.13	191A2	32
	7734	23.5-25	-	24PR	L3	NB60	TL	640.74	196A2	32
	7747	26.5-25 CR	-	28PR	L3	NB60	TL	871.35	203A2	26
	7749	26.5-25 CR	-	32PR	L3	NB60	TL	879.89	206A2	26
	7764	29.5-25 CR	-	28PR	L3	NB60	TL	1053.96	207A2	24
	7766	29.5-25 CR	-	32PR	L3	NB60	TL	1050.14	210A2	24
<b>OTR TIRES (E3) - BIAS</b>										
	7522	16.00-25	-	32PR	E3	NB60	TL	480.19	177B	90
	7527	18.00-25	-	32PR	E3	NB60	TL	592.04	183B	65
	7529	18.00-25	-	40PR	E3	NB60	TL	693.97	187B	65
	7662	18.00-33	-	32PR	E3	NB60	TL	752.43	188B	35
<b>OTR TIRES (L3) - BIAS</b>										
	7804	15.5-25	-	12PR	L3	NB70	TL	197.97	168A2	132
	7812	17.5-25	-	16PR	L3	NB70	TL	268.35	177A2	93
	7814	17.5-25	-	20PR	L3	NB70	TL	269.52	181A2	93

	7822	20.5-25	-	20PR	L3	NB70	TL	403.67	186A2	36
	7832	23.5-25	-	20PR	L3	NB70	TL	606.82	191A2	32
	7834	23.5-25	-	24PR	L3	NB70	TL	638.43	196A2	32
	7847	26.5-25 CR	-	28PR	L3	NB70	TL	871.35	203A2	26
	7849	26.5-25 CR	-	32PR	L3	NB70	TL	878.88	206A2	26
	7864	29.5-25 CR	-	28PR	L3	NB70	TL	1045.73	207A2	24
	7866	29.5-25 CR	-	32PR	L3	NB70	TL	1046.41	210A2	24
<b>OTR TIRES (L4) - BIAS</b>										
	7949	26.5-25 CR	-	32PR	L4	NB70	TL	1038.43	206A2	26
	7964	29.5-25 CR	-	28PR	L4	NB70	TL	1315.16	207A2	24
<b>PORT TIRES (L4) - BIAS</b>										
	7525	18.00-25	-	40PR	L4	C+CARRIER	TL	939.22	206A2	65
	7526	18.00-25	-	40PR	L4S	C+CARRIER SMT	TL	958.40	206A2	65